

Oil Pattern Distance	43	Reverse Brush Drop	42	Oil Per Board	55 ul
Forward Oil Total	20.35 mL	Reverse Oil Total	8.14 mL	Volume Oil Total	28.49 mL
Tank Configuration	Only A	Tank A Conditioner	ICE	Tank B Conditioner	FIRE

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	14	74	0.0	1.9	1.9	4070
2	6L	6R	2	14	58	1.9	5.8	3.9	3190
3	6L	6R	1	18	29	5.8	8.3	2.5	1595
4	8L	8R	3	18	75	8.3	15.9	7.6	4125
5	9L	9R	4	22	92	15.9	28.3	12.4	5060
6	10L	10R	2	22	42	28.3	34.5	6.2	2310
7	10L	10R	0	26	0	34.5	43.0	8.5	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	0	43.0	35.0	-8.0	0
2	10L	10R	1	22	21	35.0	31.9	-3.1	1155
3	9L	9R	3	18	69	31.9	24.3	-7.6	3795
4	6L	6R	2	18	58	24.3	19.2	-5.1	3190
5	2L	2R	0	14	0	19.2	0.0	-19.2	0

Cleaner Ratio Main Mix NA Forward  
 Cleaner Ratio Back End Mix NA Reverse  
 Cleaner Ratio Back End Distance NA Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

Cleaner Ratio Main Mix 5:1 Forward  
 Cleaner Ratio Back End Mix 5:1 Reverse

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle:Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	5	1.15	1	1	1.15	5

