



# KBAD 42 (2023)



Oil Pattern Distance	42	Reverse Brush Drop	42	Oil Per Board	55 ul
Forward Oil Total	16.555 mL	Reverse Oil Total	6.71 mL	Volume Oil Total	23.265 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	FIRE

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	14	37	0.0	0.0	0.0	2035
2	6L	6R	2	14	58	0.0	3.9	3.9	3190
3	8L	8R	2	14	50	3.9	7.8	3.9	2750
4	8L	8R	1	18	25	7.8	10.3	2.5	1375
5	10L	10R	2	18	42	10.3	15.4	5.1	2310
6	11L	11R	2	22	38	15.4	21.6	6.2	2090
7	12L	12R	3	22	51	21.6	30.9	9.3	2805
8	2L	2R	0	26	0	30.9	42.0	11.1	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	30	0	42.0	30.0	-12.0	0
2	12L	12R	2	22	34	30.0	23.8	-6.2	1870
3	11L	11R	2	18	38	23.8	18.7	-5.1	2090
4	8L	8R	2	18	50	18.7	13.6	-5.1	2750
5	2L	2R	0	14	0	13.6	0.0	-13.6	0

Cleaner Ratio Main Mix NA Forward  
Cleaner Ratio Back End Mix NA Reverse  
Cleaner Ratio Back End Distance NA Combined  
Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Cleaner Ratio Main Mix 5:1 Forward  
Cleaner Ratio Back End Mix 5:1 Reverse

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle:Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	10.56	1.61	1	1	1.61	10.56

